

## D-SUB cable - VS-15-DSUB-20-LI-1,0 - 1656262


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Assembled D-SUB cable shielded, 15-pos., stranded (7-wire), cable color RAL 7000 (gray), IP20 degree of protection, head 1 with socket shell 2 and straight cable outlet, head 2 with pin shell 2 and straight cable outlet, length: 1 m



### Key Commercial Data

Packing unit	1 pc
GTIN	 4 046356 029742
GTIN	4046356029742
Weight per Piece (excluding packing)	140.000 g
Custom tariff number	85444290
Country of origin	China

### Technical data

#### Ambient conditions

Degree of protection	IP20
Ambient temperature (operation)	0 °C ... 70 °C

#### General data

Number of positions	15
Overvoltage category	III
Degree of pollution	2
Insertion/withdrawal cycles	≥ 50
Contact material	Copper alloy
Contact surface material	gold-plated
Housing material	PVC

# D-SUB cable - VS-15-DSUB-20-LI-1,0 - 1656262

## Technical data

### General data

Rated current	1 A
---------------	-----

### Performance data


Outer sheath, material	PVC
External sheath, color	beige
AWG signal line	28
Cable cross section	0.08 mm <sup>2</sup>

### Environmental Product Compliance


China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

## Drawings


Dimensional drawing




Dimensional drawing



Circuit diagram




Schematic diagram



## D-SUB cable - VS-15-DSUB-20-LI-1,0 - 1656262

Schematic diagram



### Classifications

#### eCl@ss

eCl@ss 10.0.1	27060390
eCl@ss 11.0	27060390
eCl@ss 4.0	24010400
eCl@ss 4.1	24010400
eCl@ss 5.0	19030300
eCl@ss 5.1	19030300
eCl@ss 6.0	27060300
eCl@ss 7.0	27060390
eCl@ss 9.0	27060390

#### ETIM

ETIM 2.0	EC000830
ETIM 3.0	EC001855
ETIM 4.0	EC001855
ETIM 6.0	EC000748
ETIM 7.0	EC000748

#### UNSPSC

UNSPSC 6.01	31261501
UNSPSC 7.0901	31261501
UNSPSC 11	31261501
UNSPSC 12.01	31261501
UNSPSC 13.2	26121604
UNSPSC 18.0	26121604
UNSPSC 19.0	26121604
UNSPSC 20.0	26121604
UNSPSC 21.0	26121604

## D-SUB cable - VS-15-DSUB-20-LI-1,0 - 1656262

### Approvals

Approvals

---

Approvals

EAC

---

Ex Approvals

---

### Approval details

EAC		19060508
-----	---	----------

---